

Historic, Archive Document

Do not assume content reflects current
scientific knowledge, policies, or practices.

1986
R31 FSN

Reserved

Reserved

STA/STA

Water Supply Outlook For Nevada

JUN 29 1983

U.S. DEPT. OF AGRICULTURE
NATIONAL AGRICULTURAL LIBRARY



SOIL CONSERVATION SERVICE
U.S. DEPARTMENT OF AGRICULTURE

Cooperating with

NEVADA DEPARTMENT of CONSERVATION
AND NATURAL RESOURCES
DIVISION OF WATER RESOURCES

AS OF
May 1, 1983

TO RECIPIENTS OF WATER SUPPLY OUTLOOK REPORTS:

Most of the usable water in western states originates as mountain snowfall. This snowfall accumulates during the winter and spring, several months before the snow melts and appears as streamflow. Since the runoff from precipitation as snow is delayed, estimates of snowmelt runoff can be made well in advance of its occurrence. Streamflow forecasts published in this report are based principally on measurement of the water equivalent of the mountain snowpack.

Forecasts become more accurate as more of the data affecting runoff are measured. All forecasts assume that climatic factors during the remainder of the snow accumulation and melt season will interact with a resultant average effect on runoff. Early season forecasts are therefore subject to a greater change than those made on later dates.

The snow course measurement is obtained by sampling snow depth and water equivalent at surveyed and marked locations in mountain areas. A total of about ten samples are taken at each location. The average of these are reported as snow depth and water equivalent. These measurements are repeated in the same location near the same dates each year.

Snow surveys are made monthly or semi-monthly from January 1 through June 1 in most states. There are about 1900 snow courses in Western United States and in the Columbia Basin in British Columbia. Networks of automatic snow water equivalent and related data sensing devices, along with radio telemetry are expanding and will provide a continuous record of snow water and other parameters at key locations.

Detailed data on snow course and soil moisture measurements are presented in state and local reports. Other data on reservoir-storage, summaries of precipitation, current streamflow, and soil moisture conditions at valley elevations are also included. The report for Western United States presents a broad picture of water supply outlook conditions, including selected streamflow forecasts, summary of snow accumulation to date, and storage in larger reservoirs.

Snow survey and soil moisture data for the period of record are published by the Soil Conservation Service by states about every five years. Data for the current year is summarized in a West-wide basic data summary and published about October 1 of each year.

COVER PHOTO: FRESH POWDER SNOW ON ELEPHANT MOUNTAIN, NEAR WEST FORK OF HYALITE CREEK, MONTANA

Published by Soil Conservation Service

The Soil Conservation Service publishes reports following the principal snow survey dates from January 1 through June 1 in cooperation with state water administrators, agricultural experiment stations and others. Copies of the reports for Western United States and all state reports may be obtained from Soil Conservation Service, West Technical Service Center, Room 510, 511 N.W. Broadway, Portland, Oregon 97209.

Copies of state and local reports may also be obtained from state offices of the Soil Conservation Service in the following states:

STATE	ADDRESS
Alaska	Room 129, 2221 East Northern Lights Blvd., Anchorage, Alaska 99504
Arizona	Room 3008, Federal Building, 230 N. First Ave., Phoenix, Arizona 85025
Colorado (N. Mex.)	P. O. Box 17107, Denver, Colorado 80217
Idaho	Room 345, 304 N. 8th St., Boise, Idaho 83702
Montana	P. O. Box 98, Bozeman, Montana 59715
Nevada	P. O. Box 4850, Reno, Nevada 89505
Oregon	1220 S. W. Third Ave., Portland, Oregon 97204
Utah	4420 Federal Bldg., 125 South State St., Salt Lake City, Utah 84138
Washington	360 U.S. Court House, Spokane, Washington 99201
Wyoming	P. O. Box 2440, Casper, Wyoming 82602

PUBLISHED BY OTHER AGENCIES

Water Supply Outlook reports prepared by other agencies include a report for California by the Snow Surveys Branch, California Department of Water Resources, P. O. Box 388, Sacramento, California 95802 --- for British Columbia by the Ministry of the Environment, Water Investigations Branch, Parliament Buildings, Victoria, British Columbia V8V 1X5 --- for Yukon Territory by the Department of Indian and Northern Affairs, Northern Operations Branch, 200 Range Road, Whitehorse, Yukon Territory Y1A 3V1 --- and for Alberta, Saskatchewan, and N.W.T. by the Water Survey of Canada, Inland Waters Branch, 110-12 Avenue S.W., Calgary, Alberta T3C 1A6.



WATER SUPPLY OUTLOOK

IMPORTANT NOTICE REVISION OF FREE MAILING LIST

IF YOU WISH TO CONTINUE to receive this publication,
please turn to the back page, read the instructions, -----
TEAR OFF THE BACK COVER of this bulletin, sign your
name, fold it on the heavy line, staple or tape, and -----
MAIL IMMEDIATELY.

IF THE BACK COVER IS NOT RETURNED WITHIN 30 DAYS,
YOUR NAME WILL BE REMOVED FROM OUR LIST.

*THIS NOTICE IS REQUIRED BY THE CONGRESSIONAL JOINT COMMITTEE
ON PRINTING FOR THE ANNUAL REVISION OF FREE MAILING LISTS.*

Please make any address corrections before mailing.

WATER SUPPLY OUTLOOK FOR NEVADA

**AND
FEDERAL - STATE - PRIVATE COOPERATIVE SNOW SURVEYS**



Issued by

**PETER C. MYERS
CHIEF
SOIL CONSERVATION SERVICE
WASHINGTON D.C.**

Released by

**GERALD THOLA
STATE CONSERVATIONIST
SOIL CONSERVATION SERVICE
RENO, NEVADA**

In Cooperation with

**ROLAND D. WESTERGARD
DIRECTOR
DEPARTMENT OF CONSERVATION AND
NATURAL RESOURCES
CARSON CITY, NEVADA**

For Further Information
Please Contact
The Soil Conservation Service
in

Battle Mountain, Nevada
Highway 8A, Lemaire Road
Phone: 702-635-2650

Las Vegas, Nevada
310 Almond Tree Lane
Phone: 702-385-6426

Caliente, Nevada
360 Lincoln Street
Phone: 702-726-3101

Lovelock, Nevada
1055 Cornell Street
Phone: 702-273-2134

Cedarville, California
USDA Building
Phone: 916-276-6110

Minden, Nevada
1694 County Road
Phone: 702-782-3661

Elko, Nevada
Post Office Building
Phone: 702-738-8431

Reno, Nevada
1281 Terminal Way
Phone: 702-784-5408

Ely, Nevada
1190 Avenue E
Phone: 702-289-4065

South Lake Tahoe, California
3552 Highway 50, Suite 1
Phone: 916-541-1496

Eureka, Nevada
Sentinel Building
Phone: 702-237-5251

Tonopah, Nevada
170 Mineral Street North
Phone: 702-482-3942

Fallon, Nevada
111 Sheckler Road
Phone: 702-423-5124

Winnemucca, Nevada
1200 Winnemucca Blvd., East
Phone: 702-623-2265

Yerington, Nevada
215 West Bridge Street
Phone: 702-463-2265

Report Prepared by

THE SNOW SURVEY AND WATER SUPPLY FORECAST UNIT
James K. Marron, Snow Survey Supervisor
Nancy Gordon, Hydrologist
Jon P. Lea, Hydrologist
Soil Conservation Service
P.O. Box 4850
Reno, Nevada

TABLE OF CONTENTS

WATER SUPPLY OUTLOOK FOR NEVADA.	1-2
PROSPECTIVE WATER SUPPLY FOR NEVADA (Map).	3
INDEX OF NEVADA SNOW COURSES (By Basins)	4
WINTER SNOWPACK.	5
NEVADA STREAMFLOW FORECASTS.	6
RESERVOIR STORAGE.	7
SATELLITE SNOW COVER MAP	
TAHOE-TRUCKEE, CARSON, AND WALKER BASINS.	8
HUMBOLDT RIVER ABOVE COMUS, NEVADA.	9
SNOW COURSE MEASUREMENTS	10-12
PRECIPITATION MEASUREMENTS	13-14
SNOTEL MEASUREMENTS	
MT. ROSE SKI AREA and WARD CREEK #3	15
EBBETTS PASS and EAST FORK CARSON RIVER	16
SONORA PASS BRIDGE and SPRATT CREEK	17
LAMOILLE #3 and LAUREL DRAW	18
DORSEY BASIN and FALLEN LEAF	19
LIST OF COOPERATORS. Inside Back Cover	

All average are for 1963-1977 period.

WATER SUPPLY OUTLOOK
FOR NEVADA

*
* The Winter of 1983 has been a season of records. The May first *
* snow surveys have indicated that 33 measurement sites set record *
* water contents. The extremely large snowpack will provide plen- *
* tiful water supplies, but difficulties may arise in handling the *
* streamflows as the snowpack begins to melt. *
*
* Reservoirs have been drawn down as far as possible to allow for *
* management of streamflows. Rye Patch, Topaz, Bridgeport, Boca, and *
* Lake Tahoe have all been drawn down the past month. Stampede and *
* Wildhorse Reservoirs are presently flowing over their spillways. *
*

SIERRA EAST SLOPE

Storms crossing the Sierra during May have significantly increased water contents at high elevations and maintained below average temperatures. The below average temperatures caused the lower elevation snow to melt at a much slow rate than usual.

Fourteen sites along the East Slope of the Sierra have set all time water content records. Six of these record measurements were made in the Lake Tahoe Basin, and virtually all of the measurements surpassed their previous May first records. Marlette Lake, which surpassed its all time maximum water content at the April survey, set a new maximum water content with the May 1 survey. The previous maximum water content at Marlette Lake was measured in 1969 at 45.5 inches of water. The new record taken April 26th was 48.2 inches water content. The Truckee Basin had four all time record measurements. Squaw Valley #2, located on a ridge to the south and west of the well know KT22 in the Squaw Valley Ski Area, measured 229 inches of depth and 104.2 inches water content. The previous record was measured in 1969 at 184 inches depth and 84.0 inches water content. In the Carson Basin, four sites measured all time record water content.

Reservoir management during April has been difficult with reservoir operators attempting to obtain sufficient storage to manage the flows expected when snow-melt reaches its maximum rate. Topaz, Bridgeport, Lahontan, Boca, and Lake Tahoe have been drawn down 121,000 acre feet and should help to manage the approximately 1.5 million acre feet expected from the drainages along the Sierra.

Streamflows will be high, with the Truckee River forecast at 214 percent of average, the Carson River at 237 percent of average, the West Walker 205 percent of average, and the East Walker at 250 percent of average. Pyramid Lake has increased 7.67 feet since October 1, 1982 and is expected to rise a minimum of 4.5 more feet with a most probable rise at 7.5 feet.

HUMBOLDT BASIN

Snow measurements taken in the Humboldt Basin indicate a 206 percent of average snowpack. Dorsey Basin and Green Mountain have both reached maximum water contents for May first.

Snowmelt has been proceeding at a slower than normal rate, but many of the lower elevation sites have melted out completely.

Streamflow has already been significant with the Humboldt River, above Elko, leaving its banks several times. Excessive flows have been confined mainly to pastureland. The Humboldt is forecast at 226 percent of average and water supplies will be excellent, providing sufficient irrigation water late in the year.

Rye Patch Reservoir contents remained the same as last month. Significant flow has reached the Humboldt Sink causing some problems with spreading water.

OWYHEE AND SNAKE BASINS

Snowpacks in the Owyhee and Snake Basins are 185 percent and 145 percent of average, respectively, and will supply water for irrigation well into the irrigation season.


Wildhorse Reservoir is full. Streamflows into the reservoir are forecast at 45,000 acre feet. The spillway began flowing on April 21st and discharge has reached 786 cubic feet per second. Runoff has just begun and should not reach its maximum until the first or second week in June. This indicates that flows will not recede below the current levels until well into June.

SURPRISE VALLEY

Cedar Pass snow course is 178 percent of average and 199 percent of last year.

Streamflow in the Surprise Valley will be excellent with the availability of irrigation water late in the season. Forecasts range from 163 percent of average on Eagle Creek to 171 percent of average on Mill Creek.

PROSPECTIVE WATER SUPPLY FOR NEVADA



INDEX TO NEVADA SNOW COURSES

(By Basins)

Refer to the map on the preceeding page for Snow Course locations.

NUMBER	NAME	SEC.	TWP.	RGE.	ELEV.	NUMBER	NAME	SEC.	TWP.	RGE.	ELEV.
SNAKE RIVER BASIN						LAKE TAHOE					
SNAKE RIVER						TRUCKEE RIVER					
15H015A	Bear Creek	31	46N	58E	7800	20L065	Echo Peak (CA)	35	12N	17E	7800
15H02	Fox Creek	33	46N	58E	6800	20L05	Echo Summit (CA)	6	11N	18E	7450
15H135A	Goat Creek	31	46N	60E	3800	20L105	Fallen Leaf (CA)	3	13N	17E	6300
15H15A	Humminbird Springs	6	45N	60E	8945	19L02	Freel Bench (CA)	36	12N	18E	7300
15H20a	Merritt Mountain	10	46N	54E	7900	19K06	Glenbrook #2	13	14N	18E	6900
15H145	Pole Creek Ranger Station	13	46N	59E	8330	19L035	Hagan's Meadow (CA)	36	12N	18E	8000
15H18a	Red Point	15	47N	61E	7940	19L245	Heavenly Valley (CA)	1	12N	18E	8850
15H035A	Seventy Six Creek	6	44N	58E	7100	20L04	Lake Lucille (CA)	28	12N	17E	8200
15H19a	Stag Mountain	32	41N	58E	7800	19K045	Marlette Lake	18	15N	19E	8000
OWYHEE RIVER						20L03	Richardsons #2 (CA)	6	12N	18E	6500
15H045	Big Bend	30	45N	56E	6700	20L01	Rubicon #1 (CA)	6	13N	17E	8100
15H06a	Columbia Basin	31	44N	53E	6650	20L025	Rubicon #2 (CA)	6	13N	17E	7500
16H09a	Fawn Creek	2	45N	52E	7000	20K16	Tahoe City (CA)	6	15N	17E	6250
16H135	Fawn Creek #2	2	45N	52E	7050	20K275	Tahoe City Cross (CA)	1	15N	16E	6750
15H05	Gold Creek	32	45N	56E	6600	19L01	Upper Truckee (CA)	21	12N	18E	6400
16H01	Jack Creek, Lower	18	42N	53E	6800	20K17	Ward Creek #2 (CA)	21	15N	16E	7000
16H02A	Jack Creek, Upper	9	42N	53E	7250	20K255	Ward Creek #3 (CA)	21	15N	16E	6750
16H035	Jack Creek #2, Upper	9	42N	53E	7250	INTERIOR					
16H045	Jacks Peak	21	42N	53E	8420	UPPER HUMBOLDT RIVER					
16H055	Laurel Draw	20	45N	53E	6700	15J17a	American Beauty	32	31N	58E	7800
17G04a	Louse Canyon (OR)	27	40S	44E	6440	15J125A	Corral Canyon	27	28N	57E	8500
15H095	Taylor Canyon	35	39N	53E	6200	15J015	Oorsey Basin	28	35N	60E	8100
CARSON RIVER						15J03	Ory Creek	5	34N	60E	6500
19L055	Blue Lakes (CA)	30	9N	19E	8000	15H07P	Fry Canyon	31	43N	54E	6700
19L04	Carson Pass, Upper (CA)	22	10N	18E	8600	15J035	Green Mountain	23	29N	57E	8900
19K05	Clear Creek	6	14N	19E	7300	15J10	Harrison Pass #1	9	28N	57E	6600
19L19A	Ebbetts Pass (CA)	17	8N	20E	8700	15J11	Harrison Pass #2	16	28N	57E	7400
19L325	Ebbetts Pass #2 (CA)	17	8N	20E	8700	15J04	Lamoille #1	15	32N	58E	7100
19L16a	Fish Valley, Upper (CA)	1	7N	22E	8050	15J065	Lamoille #3	24	32N	58E	7700
19L40A	Monitor Pass (CA)	31	9N	21E	8350	15J08	Lamoille #5	31	32N	59E	8700
19L16a	Fish Valley, Upper (CA)	1	7N	22E	8050	15J20	Pole Canyon #2	6	34N	61E	7700
19L065A	Poison Flat (CA)	25	8N	21E	7900	15J16a	Robinson Lake	23	33N	59E	9200
19L395	Spratt Creek (CA)	31	10N	20E	6100	15H06P	Rodeo Flat	36	43N	53E	6800
19L315	Wet Meadows #2 (CA)	26	9N	19E	8100	15J02	Ryan Ranch	1	34N	59E	5800
19L18a	Wet Meadows Lake (CA)	26	9N	19E	8050	15J19	Smith Creek	26	30N	57E	7600
19L20a	Wolf Creek (CA)	35	8N	20E	8000	15J22a	Tent Mountain, Lower	26	36N	60E	7000
WALKER RIVER						15J23a	Tent Mountain, Upper	35	36N	60E	8350
19L11	Buckeye Forks (CA)	20	4N	23E	8500	15H08	Trenewan Ranch	9	39N	55E	5700
19L10	Buckeye Roughs (CA)	15	4N	23E	7900	15H10P	Trout Creek, Lower	28	37N	61E	6900
19L12	Center Mountain (CA)	4	3N	23E	9400	15H11A	Trout Creek, Upper	4	36N	61E	8500
19L30A	Center Mountain (CA)	4	3N	23E	9400	LOWER HUMBOLDT RIVER					
19L085	Leavitt Lake (CA)	13	5N	21E	9400	17K01	Big Creek Campground	10	17N	43E	6600
19L38	Leavitt Meadows (CA)	4	5N	22E	7200	17K02	Big Creek Mine	23	17N	43E	7600
19L175A	Lobdell Lake (CA)	20	7N	24E	9200	17K045	Big Creek Summit	35	17N	43E	8700
19L34	Sawmill Ridge (CA)	17	3N	24E	8750	17K03	Big Creek, Upper	26	17N	43N	7800
19L07	Sonora Pass (CA)	1	5N	21E	8800	17H02A5	Buckskin, Lower	25	45N	39E	6700
19L235	Sonora Pass Bridge (CA)	6	5N	22E	8800	17H01A	Buckskin, Upper	11	45N	39E	8200
19M01*	Tioga Pass (CA)	30	1N	25E	9900	17L01	Corral, Lower	12	11N	40E	7500
19L13	Virginia Lakes (CA)	5	2N	25E	9500	17L02	Corral, Upper	20	11N	41E	8900
19L225	Virginia Lakes Ridge (CA)	32	2N	25E	9200	17J02	Golconda #2	22	35N	39E	6000
19L09	Willow Flat (CA)	21	5N	23E	8250	17H045A	Granite Peak	22	44N	39E	7800
COLORADO						17H055A	Lamance Creek	13	42N	38E	6000
LOWER COLORADO RIVER						17H03AP	Martin Creek	13	44N	38E	6700
15L02a	Corduroy Flat	14	13N	58E	8720	16H03AP	Midas	18	39N	46E	7200
14M04a	Ella Mountain	35	55	67E	7050	16H07a	Toe Jam	29	40N	50E	7700
15N05	Kyle Canyon	26	19S	56E	8200	EASTERN NEVADA					
15N03	Lee Canyon #2	9	19S	56E	9000	14L01	Baker #1	29	13N	69E	7950
15N08	Lee Canyon #3	10	19S	56E	8500	14L02	Baker #2	30	13N	69E	8950
14M01a	Mathew Canyon	10	55	70E	6000	14L03	Baker #3	25	13N	68E	9250
14L04a	Mt. Wilson	27	5N	68E	8050	14K025A	Berry Creek	26	17N	65E	9100
14M02a	Pine Canyon	23	65	69E	6200	14K01	Bird Creek	34	19N	65E	7500
15N07	Rainbow Canyon #2	6	20S	57E	8100	14K09a	Oefiance Mines	9	14N	63N	9200
15L01	White River #1	31	13N	59E	7400	15J155A	Hole-in-Mountain	6	35N	61E	7900
15L03a	White River	31	13N	59E	7440	14K08	Kalamazoo Creek	34	20N	65E	7400
LEGEND						14K03	Murray Summit	25	16N	62E	7250
NUMBERING SYSTEM (EXAMPLE)						15K01	Robinson Summit	34	18N	61E	7600
19K04	Snow Course Only					14K07	Silver Creek #2	30	16N	69E	8000
19K045	Snow Course with SNOTEL					14K055A	Ward Mountain #2	25	15N	62E	9200
19K04A	Snow Course and Aerial Marker					CENTRAL GREAT BASIN					
19K04P	Snow Course and Storage Precipitation Gage					18M02	Campito Mountain (CA)	19	55	35E	19200
Lower case letter "a" indicates no snow course, only an Aerial Marker.						18M05a	Chiatovich Flat (CA)	32	25	34E	10500
SNOTEL has telemetered data for snow pillow, precipitation gage, and temperature. * Adjacent basin.						15N02	Clark Canyon	8	19S	55E	9000
						18M01	Montgomery Pass	4	1N	33E	7100
						18M03a	Pinchot Creek (CA)	28	1N	33E	9300
						18M04a	Piute Pass (CA)	33	45	33E	11700
						15N01	Trough Springs	23	18S	55E	8500
						NORTHERN GREAT BASIN					
						19H01a	Bald Mountain	17	45N	21E	6720
						20H05	Barber Creek (CA)	23	39N	16E	6500
						20H065	Cedar Pass (CA)	12	43N	14E	7100
						18G06a	Oeno Creek (OR)	14	41S	34E	6000
						18H015A	Oisaster Peak	8	47N	34E	6500
						20H03a	Oisimal Swamp (CA)	31	48N	17E	7000
						20H115	Oisimal Swamp #2 (CA)	31	48N	17E	7050
						20H07	Eagle Peak (CA)	35	40N	15E	7200
						19H03P	49 Mountain	7	42N	19E	6000
						19H02	Hays Canyon	1	39N	18E	6400
						19H04a	Little Bally Mountain	8	45N	19E	6000
						20H09P	Mt. Bidwell (CA)	6	47N	16E	7200
						20H10	North Star (CA)	13	47N	16E	6200
						17G05a	Oregon Canyon (OR)	9	40S	40E	7240
						17H06a	Quinn Ridge	9	47N	41E	6300
						20H04	Reservation Creek (CA)	12	46N	15E	5900
						18G05a	Trout Creek (OR)	10	41S	38E	7800


WINTER SNOWPACK

TAHOE, TRUCKEE, CARSON & WALKER BASINS

CALIFORNIA - NEVADA

1983

Data based on 9 long term Snow Courses




WINTER SNOWPACK

UPPER HUMBOLDT & SNAKE BASINS

NEVADA

1983

Data based on 13 selected Snow Courses



STREAMFLOW FORECASTS (Thousand Acre Feet) as of: May 1, 1983

Forecasts are based on snow-water presently stored in the mountain watersheds and the assumption that precipitation will be near average throughout the forecast period. Peak flow forecasts indicate the most probable range for the maximum average 24-hour flow. All averages are for 1963-77 period.

FORECAST POINT	Forecast Period	Forecast This Year	This Year as Percent of Average	Average +
<u>TRUCKEE RIVER</u>				
Little Truckee River above Boca, CA.	Apr-July	195	224	87
Truckee River at Farad, CA. <u>1/</u>	Apr-July	600	220	273
Lake Tahoe Rise in Ft. (assuming gates closed)	April 1 to High	3.3	232	1.42
<u>CARSON RIVER</u>				
E. Carson near Gardnerville, CA.	Apr-July	380	209	187
W. Carson at Woodfords, CA.	Apr-July	110	208	53
Carson River near Carson City, NV.	Apr-July	430	235	183
Carson River near Ft. Churchill, NV.	Apr-July	415	249	167
<u>WALKER RIVER</u>				
E. Walker near Bridgeport, CA. <u>2/</u>	Apr-Aug.	175	250	69
W. Walker below L. Walker nr. Coleville CA.	Apr-July	318	218	146
<u>SNAKE RIVER</u>				
Owyhee River near Owyhee, NV. <u>3/</u>	Apr-July	155	194	80
Owyhee River near Gold Crk., NV. <u>3/</u>	Apr-July	45	200	22
Salmon Falls Crk. near San Jacinto, NV.	May-Sept.	79	125	95
<u>HUMBOLDT RIVER</u>				
Lamoille Creek near Lamoille, NV.	Apr-July	35	125	28
S. Fork Humboldt above Dixie Crk., NV.	Apr-July	125	169	73
Marys River above Hot Springs, NV.	Apr-July	65	176	37
N. Fork Humboldt at Devils Gate, NV.	Apr-July	70	200	35
Humboldt River at Palisade, NV.	Apr-July	500	226	221
Humboldt River at Comus, NV.	Apr-July	400	225	175
Martin Crk. near Paradise, NV.	Apr-July	45	300	15
<u>NORTHERN GREAT BASIN</u>				
Bidwell Crk., near Ft. Bidwell, CA.	Apr-July	20	167	12
Mill Creek near Cedarville, CA.	Apr-July	7.0	171	4.1
Deep Creek near Cedarville, CA.	Apr-July	6.0	167	3.6
Eagle Creek near Eagleville, CA.	Apr-July	7.0	163	4.3
<u>COLORADO RIVER</u>				
Virgin River at Littlefield, AZ.	May-June			29

NOTE: Streamflow forecasts which appear in this Bulletin are coordinated activity of the National Weather Service and the Soil Conservation Service.

- 1/ Observed flow plus change in storage in Boca, Stampede, and Prosser Reservoirs Donner, Independence and Martis Creek Lake, and minus the flow at Truckee River at Tahoe City, California.
- 2/ Observed flow plus change in storage in Bridgeport Reservoir.
- 3/ Observed flow plus change in storage in Wildhorse Reservoir.

+ 1963-1977 period.

RESERVOIR STORAGE (Thousand Acre Feet) AS OF May 1, 1983

Basin or Stream	RESERVOIR	Usable Capacity	Usable Storage		
			This Year	Last Year	Average [†]
Owyhee	Wild Horse	72	76	64	35
Lower Humboldt	Rye Patch	194	168	114	135
Colorado	Mohave	1,810	1,628	1,712	1,700
Colorado	Mead	26,159	24,614	22,681	17,200
Tahoe	Tahoe	745	509	628	513
Truckee	Boca	41	10	32	30
Truckee	Stampede**	222	228	199	129*
Truckee	Prosser***	30	9	11	12*
Carson	Lahontan	295	182	247	237
West Walker	Topaz	59	17	37	42
East Walker	Bridgeport	42	10	26	32

^{*} Adjusted average.
^{**} Storage began August 1, 1969.
^{***} Flood Control use allocation of 20,000 acre-feet between November 1 and April 10.

TOTAL RESERVOIR STORAGE (Thousand Acre Feet)

MONTH	This Year	Last Year	Average [†]
October 1	1,172	358	786
January 1	1,070	688	844
February 1	1,114	804	920
March 1	1,089	935	968
April 1	1,079	1,047	1,010
May 1	972	1,148	1,024

The above data developed from Wild Horse, Rye Patch, Tahoe, Boca, Lahontan, Topaz, and Bridgeport Reservoirs in 1,000 Acre-feet.
TOTAL USABLE CAPACITY 1,448

PEAK FLOWS (MAXIMUM MEAN DAILY) (Av. flow for 24 hrs. on day of greatest flow)

FORECAST POINT	PEAK FLOW (SECOND FEET)	
	Forecast Range	Average [†]
E. Fork Carson River nr. Gardnerville, NV.	3100 - 3800	1,865
Carson River near Carson City, NV.	4300 - 5100	2,098
Carson River near Ft. Churchill, NV.	3600 - 4400	1,914
W. Walker R. below L. Walker R. nr Coleville CA.	2900 - 3500	1,589

FORECAST DATE of LOW FLOW VALUES

FORECAST POINT	Low Flow Value Second/Ft.	Forecast Date Stream Will Recede to Low Flow Value	Average Date of Low Flow Value
East Carson River nr. Gardnerville, NV.	200	Sept. 4	July 24
East Carson River nr. Gardnerville, NV.	500	Aug. 10	June 28

[†] 1963-1977 period.

SATELLITE SNOW COVER

TAHOE-TRUCKEE, CARSON AND WALKER BASINS

APRIL 16, 1983




SCALE 1:2,000,000
DATA PROVIDED BY NOAA/NESS
WASHINGTON D.C.

BASIN	THIS YEAR	PERCENT SNOW COVER	LAST YEAR	PERCENT SNOW COVER
TAHOE-TRUCKEE	November 14, 1982	10.6%	January 31, 1982	48.0%
	December 28, 1982	50.0%	February 24, 1982	28.0%
	January 28, 1983	39.8%	March 24, 1982	27.0%
	February 24, 1983	38.0%	April 27, 1982	24.0%
	March 30, 1983	38.0%		
	April 16, 1983	32.0%		
CARSON	November 14, 1982	8.2%	January 31, 1982	48.0%
	December 28, 1982	25.0%	February 24, 1982	10.0%
	January 28, 1983	19.2%	March 24, 1982	12.0%
	February 24, 1983	19.0%	April 27, 1982	11.0%
	March 30, 1983	38.0%		
	April 16, 1983	6.0%		
WALKER	November 14, 1982	16.3%	January 31, 1982	43.0%
	December 28, 1982	46.0%	February 24, 1982	20.0%
	January 28, 1983	52.0%	March 24, 1982	17.0%
	February 29, 1983	34.0%	April 27, 1982	12.0%
	March 30, 1983	29.0%		
	April 16, 1983	25.0%		

SATELLITE SNOW COVER

HUMBOLDT RIVER ABOVE COMUS, NEVADA

APRIL 16, 1983



SCALE 1:2,500,000
DATA PROVIDED BY NOAA/NESS
WASHINGTON, D.C.

<u>THIS YEAR</u>	<u>PERCENT SNOW COVER</u>	<u>LAST YEAR</u>	<u>PERCENT SNOW COVER</u>
November 23, 1982	45.1%	January 1, 1982	97.0%
December 28, 1982	87.0%	January 6, 1982	100.0%
January 28, 1983	94.2%	January 27, 1982	98.0%
February 16, 1983	72.2%	January 30, 1982	88.0%
February 22, 1983	71.0%	February 6, 1982	87.0%
		February 16, 1982	63.0%
		February 30, 1982	46.0%
		March 6, 1982	42.0%
		March 13, 1982	25.0%
March 30, 1983	38.0%	March 24, 1982	20.0%
		April 8, 1982	28.0%
		April 13, 1982	20.0%
April 16, 1983	23.0%	April 18, 1982	18.0%
		April 23, 1982	16.0%

SNOW COURSE MEASUREMENTS

DRAINAGE BASIN and/or SNOW COURSE		THIS YEAR			PAST RECORD	
		Date of Survey	Snow Depth (Inches)	Water Content (Inches)	Water Content (inches)	
NAME	Elevation				Last Year	Average †

LAKE TAHOE

Echo Peak (CA)	7,800	4/26/83	173	79.5	53.5	----
Echo Summit (CA)	7,450	5/02/83	116	81.6	39.7	26.2
Fallen Leaf (CA)	6,240	5/01/83	27	11.3	0.0	----
Freel Bench (CA)	7,300	4/26/83	62	25.5	2.7	5.8*
Hagan's Meadow (CA)	8,000	4/26/83	93	39.8	14.8	12.3*
Heavenly Valley (CA)	8,800	5/01/83	122**	52.5**	40.6	24.2*
Marlette Lake	8,000	4/26/83	118	48.2	26.0	20.6*
Rubicon #2	7,500	5/01/83	154**	66.1**	46.3	----
Tahoe City Cross	6,750	5/02/83	92	43.9		
Upper Truckee (CA)	6,400	4/26/83	39	15.2	0.1	2.2*
Ward Creek #2 (CA)	7,000	5/02/83	182	81.9	55.7	38.8
Ward Creek #3 (CA)	6,750	4/26/83	163	72.3	50.0	37.9*

TRUCKEE RIVER

Big Meadows	8,300	4/26/83	104	43.3	31.3	----
CSS Lab	6,900	5/01/83	192**	82.2**		
Donner Summit (CA)	6,900	5/02/83	169	80.8	45.7	33.6*
Fordyce Lake (CA)b	6,500	4/29/83	186	92.9	47.4	38.1*
Furnace Flat (CA)	6,700	5/02/83	197	106.7	60.6	45.5
Independence Camp (CA)	7,000	5/02/83	92	39.9	22.6	17.4*
Independence Creek (CA)	6,500	5/02/83	54	24.3	9.3	6.6*
Independence Lake (CA)	8,450	5/02/83	184	76.7	71.1	46.9*
Little Valley	6,300	4/29/83	25	9.7		
Mt. Rose	9,000	5/01/83	144**	64.6**	61.6	----
Mt. Rose Ski Area	8,850	5/01/83	194**	83.6**	76.4	38.8*
Squaw Valley #2 (CA)	7,500	5/02/83	229	104.2	77.7	51.7*
Squaw Valley Gold Coast (CA)	8,200	5/01/83	248**	114.3**	87.5**	----
Truckee #2 (CA)	6,400	5/01/83	65**	26.1**		

CARSON RIVER

Blue Lakes (CA)b	8,000	5/03/83	168	74.0	49.0	33.7
Carson Pass, Upper (CA)	8,600	4/26/83	155	70.0	58.1	33.1
Clear Creek	7,300	4/29/83	46	13.3	----	----
Ebbetts Pass AM (CA)	8,700	AM BURIED			BURIED	----
Ebbetts Pass #2 (CA)	8,700	4/26/83	175	75.7	67.5	----
Spratt Creek (CA)	6,100	4/26/83	6	1.5	0.0	----
Wet Meadows Lake AM (CA)	8,050	4/26/83	142	61.1	43.7	----
Wet Meadows #2	8,050	4/26/83	188	81.0	57.8	----

WALKER RIVER

Sonora Pass (CA)	8,800	4/26/83	115	48.2	37.3	20.3
Sonora Pass Bridge (CA)	8,800	4/26/83	117	45.8	37.8	26.3
Virginia Lakes (CA)	9,500	4/26/83	80	32.9	22.6	15.1*
Virginia Lakes Ridge (CA)	9,200	4/26/83	87	34.1	26.0	16.0*

NORTHERN GREAT BASIN

Cedar Pass (CA)	7,100	4/29/83	62	27.1	13.6	15.2**
Disaster Peak	6,500	5/01/83	30**	12.1**	8.7	----
Dismal Swamp #2 (CA)	7,000	5/01/83	106**	45.4**	31.6**	----

SNOW COURSE MEASUREMENTS

DRAINAGE BASIN and/or SNOW COURSE		THIS YEAR			PAST RECORD	
		Date of Survey	Snow Depth (Inches)	Water Content (Inches)	Water Content (inches)	
NAME	Elevation				Last Year	Average †

SNAKE RIVER

Bear Creek	7,800	5/01/83	67**	28.2**	27.5	20.8a
Goat Creek	8,800	5/03/83	68	26.8	26.5	20.9
Pole Creek Ranger Station	8,300	5/03/83	68	28.8	29.1	23.6
Seventy Six Creek	7,100	5/01/83	34**	14.1**	16.0	3.2

OWYHEE RIVER

Big Bend	6,700	5/01/83	20**	8.4**	8.3	2.4
Fawn Creek #2	7,050	5/01/83	77**	33.0**	20.9	----
Jack Creek #2, Upper	7,250	5/01/83	75**	32.4**	22.4	----
Laurel Draw	6,700	5/01/83	21**	8.6**	5.6	----
Taylor Canyon	6,200	5/01/83	0	0.0	0.0	0.5

UPPER HUMBOLDT

Corral Canyon	8,500	5/01/83	58**	23.7**	21.6	----
Dorsey Basin	8,100	4/27/83	55	22.3	18.6	----
Green Mountain	8,000	5/01/83	51**	21. **	15.1	----
Lamoille #1	7,100	4/27/83	33	14.0	6.1	4.4*
Lamoille #3	7,700	4/27/83	40	16.3	11.1	8.3*
Lamoille #5	8,700	4/27/83	92	40.0	49.6	30.0*

LOWER HUMBOLDT RIVER

Big Creek Summit	8,700	5/01/83	98**	42.3**	15.0**	----
Buckskin, Lower	6,700	5/01/83	43**	17.8**	7.4	----
Granite Peak	7,800	5/01/83	88**	37.2**	26.8	----
Lamance Creek	6,000	5/01/83	52**	21.9**	4.8	----

EASTERN NEVADA

Berry Creek	9,100	4/28/83	75	28.5	15.7**	16.3*
Ward Mountain #2	7,400	5/01/83	70**	30.0**	14.6**	----
Hole-in-Mountain	7,900	4/27/83	76	34.3	----	----

DESERT RESEARCH INSTITUTE MEASUREMENT: TAHOE-TRUCKEE BASIN

Alder Creek	6,960	NOT MEASURED			40.8	----
Apollo Way	7,300	4/26/83	101	42.4	0.0	----
Bennett Flat	6,200	5/02/83	60	28.2e	6.4	----
Davis Creek	5,160	5/02/83	0	0.0	0.0	----
Evergreen Hills Road	5,700	4/26/83	0	0.0	0.0	----
Galena Creek	7,440	NOT MEASURED			21.2	----
Hennes Pass Junction	6,410	5/02/83	62	29.1e	9.7	----
Hobart Mills	5,850	5/02/83	21	9.9e	0.0	----
Incline Lake	8,000	4/26/83	136	58.6	28.9	----
Jones Creek	6,000	4/26/83	0	0.0	0.0	----
Mt. Rose Resort	8,280	4/26/83	157	68.0	53.5	----
North Star Fire Department	6,320	5/02/83	20	9.4e	0.0	----
Reindeer Lodge	7,060	4/26/83	56	25.1	0.0	----

SNOW COURSE MEASUREMENTS

DRAINAGE BASIN and/or SNOW COURSE		THIS YEAR			PAST RECORD	
		Date of Survey	Snow Depth (Inches)	Water Content (Inches)	Water Content (inches)	
NAME	Elevation				Last Year	Average †

DESERT RESEARCH INSTITUTE MEASUREMENT (CONT.):

RNR Test Site	6,400	4/26/83	29	12.4	0.0	----
Sky Tavern	7,620	4/26/83	97	42.7	14.3	----
Spooner Summit	7,620	5/02/83	65	30.6e	0.0	----
Squaw Valley Fire Department	6,240	5/02/83	84	39.5e	10.2	----
Tahoe City	6,240	5/02/83	60	28.2e	3.4	----
Tahoe Meadows	8,540	5/03/83	196	95.8	69.7	----
Tamarack Lake	8,820	NOT MEASURED			64.4	----
Third and Incline Creeks	6,235	4/26/83	5	1.0	0.0	----
Thunder Cliff	6,200	5/02/83	60	28.2e	7.4	----
Truckee Airport	5,900	5/02/83	0	0.0	0.0	----
White Creeks	5,670	4/26/83	0	0.0	0.0	----

- a Aerial Marker
- b Located on adjacent basin
- e Estimated
- * Less than 15-year record
- ** SNOTEL provisional, depth estimated
- NS Not scheduled



NOTE: All averages based on 1963-1977, 15 years period.
Forecast period is April 1 through July 31 unless otherwise noted.



PRECIPITATION (Inches)



DRAINAGE BASIN and PRECIPITATION GAGE LOCATION	ELEVATION	CURRENT INFORMATION			FROM OCTOBER 1 TO DATE		
		Date of Reading	Month's Precipitation	Last Year	This Year	Last Year	MAY 1 Average
<u>TAHOE-TRUCKEE</u>							
Big Meadows	8,300	5/1/83	4.7	3.8	48.9	48.7e	----
CSS Lab (CA)	6,900	5/1/83	10.2	----	92.2	----	----
Echo Peak (CA)	7,800	5/1/83	4.2	10.2	81.7	88.1e	53.4
Fallen Leaf (CA)	6,240	5/1/83	0.6	5.7	45.6	55.7	10.4
Hagan's Meadow (CA)	8,000	5/1/83	4.5	5.2	38.9	48.1	23.5
Heavenly Valley (CA)	8,800	5/1/83	6.2	4.5	49.2	45.4	38.1
Independence Camp (CA)	7,000	5/1/83	5.5	8.0	50.2	65.0	35.1
Independence Creek (CA)	6,500	5/1/83	4.2	7.2	50.6	61.1	20.2
Independence Lake (CA)	8,450	5/1/83	4.8	13.7	67.5e	76.2	50.1
Marlette Lake	8,000	5/1/83	6.3	3.9	52.8	49.6	24.9
Mt. Rose	9,000	5/1/83	6.9	8.8	62.3e	49.8	29.7
Mt. Rose Ski Area	8,850	5/1/83	9.8	9.8	86.9	87.3	42.6
Rubicon #2	7,500	5/1/83	6.1	8.6	61.3	72.0	35.9
Squaw Valley Gold Coast (CA)	7,800	5/1/83	11.0	14.0e	77.3	120.9	62.3
Tahoe City Cross (CA)	6,750	5/1/83	3.9	7.0	50.2	64.7	21.9
Truckee #2 (CA)	6,400	5/1/83	5.4	6.0	48.5	59.2	17.7
Ward Creek #3 (CA)	6,750	5/1/83	7.7	11.0	95.3	118.5	61.1
<u>CARSON-WALKER</u>							
Blue Lakes (CA)	8,000	5/1/83	10.1	7.4	73.1	69.4	40.3
Ebbetts Pass #2 (CA)	8,700	5/1/83	10.6	10.6	82.0	79.5	49.6
Leavitt Meadows (CA)	7,200	5/1/83	2.8	4.9	42.6	48.3	29.7
Lobdell Lake (CA)	9,200	5/1/83	3.2	3.0	37.4	30.8	20.7
Poison Flat (CA)	7,900	5/1/83	4.4	5.9	47.4	49.3	21.8
Sonora Pass Bridge (CA)	8,800	5/1/83	4.3	6.5	55.8	56.5	32.4
Spratt Creek (CA)	6,080	5/1/83	2.7e	3.2	48.1e	49.5	27.6
Virginia Lakes Ridge (CA)	9,200	5/1/83	3.3	5.1	42.3	36.1	22.0
Wet Meadows #2 (CA)	8,050	5/1/83	10.5	8.0	79.4	73.8e	38.0
<u>HUMBOLDT</u>							
Big Creek Summit	8,700	5/1/83	3.7	1.2	29.4	18.2	16.5
Buckskin, Lower	6,700	5/1/83	3.2	2.6	25.9	26.4	14.9
Corral Canyon	8,500	5/1/83	4.0	2.3	27.6	26.2	22.3
Dorsey Basin	8,100	5/1/83	4.1	1.8	31.3	30.4	19.6
Granite Peak	7,800	5/1/83	----	3.3	----	50.5e	19.5
Green Mountain	8,000	5/1/83	3.7	1.9	29.2	28.1	18.1
Lamance Creek	6,000	5/1/83	2.8	2.5	30.1	31.1	13.8
Lamoille #3	7,700	5/1/83	4.2	1.9	26.8	28.5	22.4
<u>SNAKE-OWYHEE</u>							
Bear Creek	7,800	5/1/83	3.8	2.6	29.3	34.3	23.4
Big Bend	6,700	5/1/83	1.5	1.3	14.6	18.7	15.1
Fawn Creek #2	7,000	5/1/83	3.8	3.4	31.6	34.4	28.7
Goat Creek	8,800	5/1/83	4.5	2.0	32.3	33.8	23.6
Jack Creek #2, Upper	7,250	5/1/83	2.0	2.3	25.9	33.8e	20.0
Jacks Peak	8,420	5/1/83	3.1	2.8	39.1	42.1	----
Laurel Draw	6,700	5/1/83	2.2	2.4	22.3	28.3	18.4
Pole Creek Ranger Station	8,330	5/1/83	2.5	1.2	16.6	19.9	16.9
Seventy Six Creek	7,100	5/1/83	1.6	1.3	18.3	21.8	16.3
Taylor Canyon	6,200	5/1/83	1.4	0.8	8.6	12.2	8.9
<u>EASTERN NEVADA</u>							
Berry Creek	9,100	5/1/83	----	2.0	24.3	23.6	23.0
Hole-in-Mountain	7,900	5/1/83	5.1	4.8	27.8	41.8	----
Ward Mountain	8,900	5/1/83	3.8	1.9	25.4	24.5	18.0
<u>NORTHERN GREAT BASIN</u>							
Cedar Pass (CA)	7,100	5/1/83	3.7	2.9	36.7	37.8	28.2
Disaster Peak	6,500	5/1/83	2.3	0.9	26.1	24.6	16.6
Dismal Swamp #2 (CA)	7,050	5/1/83	6.8	6.3	56.8	58.9	56.1
All Data SNOTEL Provisional							



PRECIPITATION (Inches) NATIONAL WEATHER SERVICE, RENO, NEVADA - MAY, 1983



DRAINAGE BASIN and PRECIPITATION GAGE LOCATION	ELEVATION	CURRENT INFORMATION			OCTOBER 1 TO DATE		
		Month's Precip.	Last Year	*Normal	This Year	Last Year	*Normal
<u>TRUCKEE-TAHOE</u>							
Boca	5,575	2.67	2.97	1.56	36.96	34.63	19.13
Glenbrook	6,350	2.16	2.05	1.16	28.70	29.00	15.68
Incline Village	6,550	3.82	3.13	1.29	36.71	39.00	19.23
Reno	4,404	1.35	.34	.47	11.36	6.91	5.43
Sierraville	4,975	2.70	3.14	1.70	41.58	47.62	24.34
Tahoe City	6,230	2.58	6.71	2.33	45.57	61.21	30.08
Truckee Ranger Station	5,995	4.04	5.93	2.45	42.72	51.63	29.58
<u>CARSON-WALKER</u>							
Bridgeport Ranger Station	6,560	0.80	1.55	.46	15.03	8.55	9.39
Carson City	4,651	0.82	1.41	.54	16.57	14.18	9.68
Fallon Experiment Station	3,965	.84	.05	.33	6.58	2.91	2.92
Hawthorne	4,215	0.87	.66	.51	3.53	2.06	2.70
Minden	4,720	1.22	1.58	.47	*	9.45	6.64
Twin Lakes	7,829	5.89	9.64	4.64	53.80	68.67	45.22
Woodfords	5,971	2.25	3.05	1.25	33.94	30.80	17.74
Yerington	4,375	2.12	2.12	.34	6.70	3.44	3.37
<u>HUMBOLDT</u>							
Austin	6,605	2.93	.87	1.47	12.81	9.80	7.73
Battle Mountain	4,530	1.14	.30	.76	5.10	2.38	4.71
Deeth	5,338	1.75	.44	.93	12.56	10.10	5.82
Elko	5,075	1.28	.50	.82	10.01	8.33	6.38
Emigrant Pass	5,755	1.38	.38	1.08	11.27	9.13	8.22
Jiggs	5,760	1.13	.66	1.35	11.19	7.76	7.41
Lamoille	5,800	1.06	1.21	2.53	*	11.07	12.36
Lovelock FAA	3,900	.39	.30	.36	5.86	4.19	2.96
North Fork	6,600	.58	*	.86	*	*	6.02
Paradise Valley	4,675	1.58	.12	.59	11.90	11.36	6.74
Wells	5,650	1.35	1.30	.94	8.49	10.10	6.66
Winnemucca	4,301	.82	.29	.73	7.56	6.24	5.78
<u>SNAKE-OWYHEE</u>							
Contact	5,365	1.18	.53	.64	5.87	7.83	4.65
Mountain City	5,620	1.36	.94	*	8.69	9.73	*
Owyhee	6,491	1.74	.78	1.50	10.94	10.33	9.40
Tuscarora	6,170	1.52	1.09	1.36	13.59	15.35	10.00
<u>EASTERN NEVADA</u>							
Arthur	6,280	1.34	.97	1.33	13.84	14.99	10.01
Ely	6,253	1.46	.72	1.00	8.15	8.26	5.06
Montello	4,880	.60	.27	.54	5.80	5.30	3.54
Pequop	6,030	1.87	.90	*	11.70	11.70	*
Ruby Lake	6,012	1.52	.79	1.17	11.44	12.52	8.57
<u>NORTHERN GREAT BASIN</u>							
Alturas Ranger Station	4,400	1.63	.45	1.00	11.89	10.68	9.41
Cedarville	4,670	1.50	.78	.97	10.93	14.66	11.01
Ft. Bidwell	4,498	1.69	1.28	1.04	17.98	18.91	12.25
Orovada	4,310	3.33	.50	1.12	10.66	8.73	7.47
Susanville	4,148	1.37	1.78	.73	18.87	18.07	12.25
<u>CENTRAL GREAT BASIN</u>							
Tonopah	5,426	.85	.26	.32	6.97	3.73	2.19
<u>LOWER COLORADO RIVER</u>							
Caliente	4,402	1.72	.25	.84	9.23	1.85	5.61
Las Vegas	2,162	.45	.01	.27	3.48	1.93	2.37
Pioche	6,165	1.37	.61	1.34	13.65	7.23	8.05
Bishop	4,118	.22	1.62	.41	8.75	5.07	4.99
* Not Available							
T Trace							
Normals are for 30 year period of 1941-1970.							











IMPORTANT NOTICE

WATER SUPPLY OUTLOOK FOR NEVADA

If you wish to continue to receive this publication, detach this page, sign your name in the space below, fold on the heavy line, staple or tape the folded page and mail. If more than one copy of the publication is desired, place the number in the box by your signature.

Signed: _____

Suggestions, comments or remarks: _____

Print or type your name and address on back of this sheet, if it is not there already

(FOLD HERE)



RETURN IF NOT DELIVERED
UNITED STATES
DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE
P.O. BOX 4850
RENO, NEVADA 89505

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300

PLACE
POSTAGE
HERE

SNOW SURVEY SUPERVISOR
SOIL CONSERVATION SERVICE
P.O. BOX 4850
RENO, NEVADA 89505

(STAPLE OR TAPE HERE)

UNITED STATES DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE

P.O. Box 4850
RENO, NEVADA 89505

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300

BULK RATE
U.S. POSTAGE
PAID
RENO, NEVADA
PERMIT #114

FEDERAL - STATE - PRIVATE COOPERATIVE SNOW SURVEYS

Furnishes the basic data
necessary for forecasting
water supply for irrigation,
domestic and municipal water
supply, hydro-electric power
generation, navigation,
mining and industry

*"The Conservation of Water begins
with the Snow Survey"*

USDA, NAT'L AGRICULTURAL LIB
TIS/SEA/USDA, RM 002
CURRENT SERIAL RECORD

BELTSVILLE, MD.

20705